



# WORLD'S NO.1 NO.1 IS JUST ONE OF OUR STRENGTHS

With over 2.5 crore hoods sold in last 6 years, today Elica is by far the world's largest kitchenhood company.


Almost, every 3rd kitchenhood manufactured in Europe is an Elica product.

### WHY ELICA

- Established in 1970 in Italy, today Elica manufactured hoods are sold in over 100 countries.
- Our EDS3 technology hoods are considered to be the "Quietest hoods in the world".
- Our innovative 'Synairgy' motors reduce vibration & electrical consumption by 50%.
- Elica Group was nominated amongst the Top Ten Most Innovative Companies.
- Our trademark Italian designs have won several prestigious International Red Dot awards.
- Our acute business sense has earned us a listing in the Star Section of the Italian Stock Exchange.
- We are the first company to launch Split Chimneys & Multi-Flame Control Brass Burner Hobs in India.
- Range includes: Kitchenhoods, Built-in Hobs, Built-in Ovens/Microwaves, Cooking Ranges, Dishwashers, Cooktops

### INDEX

ı	KITCHENHOODS	
ı	Hi Life Kitchenhoods	2 > 21
ı	Island Kitchenhoods	22 > 23
ı	Split Kitchenhoods	24 > 27
ı	Decorative Kitchenhoods	28 > 33
ı	Traditional Kitchenhoods	34 > 35
ı	BUILT-IN HOBS	
	Multi Flame Control (MFC) Hobs	38 > 39
ı	Glass Hobs	40 > 41
ı	Stainless Steel Hobs	42 > 45
ı	Vetro Ceramic Hob	46 -47
ı	COOKING RANGES	
ı	Cooking Ranges	48> 49
ı	BUILT-IN OVEN/MICROWAVE	
ı	Built-in Oven, Microwave Oven	50 > 51
	DISHWASHER /	
BUILT-IN BARBEQUE / FRYER		R
	Built-in & Free Standing	
	Dishwashers, Barbeque & Fryer	52> 53
ı	SPECIAL FEATURES	54 > 57
	KEYS	58
	DIMENSIONS	
	Built-in Hobs, Fryer, Barbeque	58
	Built-in Oven & Microwave,	59
	Bant-III Oven & Microwave,	33



Elica, World's No.1 in Kitchen Chimneys Now in India. Your kitchen is the place where odors, flavors and taste mingle together with the family tradition of cooking and the pleasure of spending time together. Modernity has turned the kitchen into a place rich with significance – the centre of household affection and family ties. Kitchen is the place where you dine, entertain and spend quality time with your family. Kitchen has its own identity and personality, and the centre of kitchen is the kitchen chimney, working to remove unwanted odors and improving the quality of air. At Elica we are always working to make your kitchen a better place. Elica offers a wide range of kitchenhoods to suit individual requirement. Finish of kitchenhoods range from Stainless Steel, Glass, Crystal. All Elica Kitchenhoods are equipped with world class technologies.

Elica in India has introduced for the first time Split Chimneys with external motor technology. Since the motor is placed outside the house the noise level and maintenance is reduced. With Elica Split kitchen chimney your kitchen is free of unwanted noise and odors thus making it a perfect place to meet, entertain and dine with your loved ones. Go ahead, Turn on Silence with Elica's Split chimneys.

## Kitchenhoods



# 70cc dynamique

wall mounted

Finish Stainless Steel + Black / Red / Grey Glass

Size (cm) 70 x 35 x 3

Controls 3S+B electronic rotative

Lighting Led 4 x 3W

Duct Size 150

IEC Airflow (m³/h) 240-500 (650) Noise Level 47-64 (71)

Pressure (Pa) 440 Absorption 262

ACCESSORIES


Grease Filter GFA Included
Charcoal Filter Included
Warranty 1 Year





ED light Back aspiration











Finish Stainless Steel + Black / Red / Yellow / Green Glass

Size (cm) 35 x 35 x 35

Controls 3S+B electronic rotative

Lighting Led 4 x 3W

Duct Size 150

 IEC Airflow (m³/h)
 240-500 (650)

 Noise Level
 47-64 (71)

 Pressure (Pa)
 440


 Absorption
 262

ACCESSORIES


Grease Filter GFA Included Charcoal Filter Optional Warranty 1 Year











adagio Elica Design Center



Finish Stainless Steel + Black Glass

Size (cm) 90

Controls 3s Touch control 3S+B

Lighting Neon 1x14W

Version Recycling (internal mot.) / Duct out (external mot.)

N. Motors 1

 Duct Size
 150-200

 IEC Airflow (m³/h)
 270-580 (800)

 Noise Level (Pa)
 38-48 (58)

 Pressure
 540

 Absorption
 250

ACCESSORIES

Grease Filter GFA Included

Charcoal Filter Included(F) / Optional(A)

Black Remote Control Kit Optional


Warranty 1 Year







island mounted-cooker base





SIZE 80

FINISH BLACK GLASS STAINLESS STEEL

Controls Chef Control
Lighting Led 2x3W
Version Recycling

 N. Motors
 1

 Duct Size
 150

 IEC Airflow (m³/h)
 200-680


 Noise Level
 45-68

 Pressure (Pa)
 480

 Absorption
 185

ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Not available
Long Life Filter Optional
Chimney Kit (h450-450) Optional
Chimney Kit (h220-270) Optional
Warranty 1 Year







**FINISH** STAINLESS STEEL + BLACK GLASS

Digital-R 3S + B Controls Lighting Halo 2x20W Ducting Version N. Motors

**Duct Size** 150 290-590 (800) IEC Airflow (m³/h) Noise Level 35-50 (56) Pressure (Pa) 560

Absorption 290

ACCESSORIES


Grease Filter Included Charcoal Filter Not available

EDS3 Long Life Filter Included-GME Optional

Chimney Kit (h800mm IX) Optional

Warranty 1 Year







Finish Stainless Steel + Black Glass

290

Size (cm) 80

Controls 3s Touch control 3S+B

Lighting Halo 2x20W
Version Duct out
N. Motors 1

 Duct Size
 150

 IEC Airflow (m³/h)
 270-570 (720)

 Noise Level
 46-64 (69)


 Pressure (Pa)
 480

Absorption ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Optional
Warranty 1 Year









SIZE 80

FINISH STAINLESS STEEL + BLACK GLASS

Controls 3s+b Touch control
Lighting Halo 4x20W
Version Recycling

N. Motors 1

Duct Size 150

 IEC Airflow (m³/h)
 270-570 (730)

 Noise Level
 44-63 (67)

 Pressure (Pa)
 480

 Absorption
 330


ACCESSORIES

Grease Filter GFA Included Charcoal Filter Not available

Long Life Filter Included-GME Optional

Black Remote control Kit Optional
White Remote control Kit Optional
External motor Not Included
Chimney Kit (h450-450mm IX) Optional
Chimney Kit (h220-270mm IX) Optional

Warranty 1 Year





SIZE 80 **FINISH** 

**BLACK GLASS** Controls 3s+b Touch control Lighting Neon 1x14W Recycling / Duct Out Version


285


1 N. Motors **Duct Size** 150 IEC Airflow (m3/h) 270-570 (720) 43-57 (62) Noise Level Pressure (Pa) 480 Absorption

ACCESSORIES

Grease Filter GFA Included Charcoal Filter Not available Long Life Filter Included Chimney Kit (h450-450) Optional Chimney Kit (h220-270) Optional Warranty 1 Year







SIZE 80

FINISH STAINLESS STEEL BLACK GLASS

Controls Rotative 3S
Lighting Led 2x3W
Version Recycling
N. Motors 1

 N. Motors
 1

 Duct Size
 150

 IEC Airflow (m³/h)
 240-600

 Noise Level
 43-65

 Pressure (Pa)
 480


 Absorption
 260


ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Included
Long Life Filter Not available
Chimney Kit (h450-450) Optional
Chimney Kit (h220-270) Optional

Warranty 1 Year







SIZE 80

FINISH STAINLESS STEEL

Controls 3s + b Touch control with display

Lighting Halo 2x20W

Version Recycling / Duct Out

Version Recyclii
N. Motors 1


Duct Size 150


IEC Airflow (m³/h) 270-570 (730) Noise Level 44-63 (67)

Pressure (Pa) 480 Absorption 290

ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Not available
Long Life Filter Optional
Chimney Kit (h560-445mm IX) Optional
Warranty 1 Year







SIZE 60-90

FINISH STAINLESS STEEL + TRANSPERENT/BLACK GLASS

Controls 3s Soft Light Push Button

Lighting Halogen 2x20W
Version Recycling / Duct Out

N. Motors

 Duct Size
 120-150

 IEC Airflow (m³/h)
 1150 max

 Noise Level
 64

 Pressure (Pa)
 370


 Absorption
 220

ACCESSORIES

Filter Professional Charcoal Filter Optional

Warranty 1 Year







SIZE 55 - 80
FINISH BLACK GLASS
Controls Soft Light 3v
Lighting Halo 2x20W
Version Recycling / Duct Out

 N. Motors
 1

 Duct Size
 150

 IEC Airflow (m³/h)
 270-730

 Noise Level
 44-67


 Pressure (Pa)
 480

 Absorption
 290

ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Not available
Long Life Filter Optional
Chimney Kit Optional
Warranty 1 Year







SIZE 120 x 65

FINISH STAINLESS STEEL + WHITE GLASS

Controls Rmote control 3S + B

Lighting Neon 1x21W
Version Duct out
N. Motors 1
Duct Size 150

 IEC Airflow (m³/h)
 320-650 (740)

 Noise Level
 49-65 (68)


 Pressure (Pa)
 460

 Absorption
 230

**ACCESSORIES** 

Grease Filter GFA Included
Charcoal Filter Optional
White Remote Control Kit GFA Included
Warranty 1 Year







SIZE 85 x 43

FINISH SHINY STAINLESS STEEL

Controls Magic wand
Lighting Halo 4x20W
Version Duct out
N. Motors 1

 Duct Size
 120-150

 IEC Airflow (m³/h)
 290-330 (850)

 Noise Level
 35-50 (56)

Pressure (Pa) 520

Absorption 290-330 (850mm)

ACCESSORIES

Grease Filter Included
Charcoal Filter Not available
Long Life Filter Optional
Black Remote control Kit Optional
White Remote control Kit Optional

Warranty 1 Year



















FINISH STAINLESS STEEL + GLASS

Controls Magic wand

Lighting Halo 1x40W + Inc. 3x40W

Version Recycling N. Motors 1

Duct Size 150

IEC Airflow (m³/h) 170-350 (480)

 Noise Level
 38-58 (65)

 Pressure (Pa)
 400

 Absorption
 290

ACCESSORIES

Grease Filter GFA Included Charcoal Filter Not available Long Life Filter Included Extractor Kit Optional Black Remote control Kit Optional Optional White Remote control Kit Extension cable Kit (2.5m IX) Optional Extension cable Kit (5m IX) Optional

Warranty 1 Year







FINISH STAINLESS STEEL Controls Magic wand

Lighting Halo 1x40W + Inc. 3x40W

Version Recycling

N. Motors 1 Duct Size 150

 IEC Airflow (m³/h)
 170-350 (480)

 Noise Level
 38-58 (65)


 Pressure (Pa)
 400


 Absorption
 290

ACCESSORIES

GFA Included Grease Filter Charcoal Filter Not available Long Life Filter Included Optional Extractor Kit Black Remote control Kit Optional Optional White Remote control Kit Extension cable Kit (2.5m IX) Optional Extension cable Kit (5m IX) Optional Warranty 1 Year







FINISH STAINLESS STEEL + GLASS

Controls Magic wand

Lighting Halo 1x40W + Inc. 3x40W

Version Recycling
N. Motors 1
Duct Size 150

 IEC Airflow (m³/h)
 170-350 (480)

 Noise Level
 38-58 (65)


 Pressure (Pa)
 400


 Absorption
 290

ACCESSORIES

Grease Filter GFA Included
Charcoal Filter Not available
Long Life Filter Included
Black Remote control Kit Optional
White Remote control Kit Optional
Extension cable Kit (2.5m IX) Optional
Extension cable Kit (5m IX) Optional
Warranty 1 Year







FINISH STAINLESS STEEL + RED COLOUR

Controls Magic wand

Lighting Halo 1x40W + Inc. 3x40W

Version Recycling

N. Motors 1 Duct Size 150

 IEC Airflow (m³/h)
 170-350 (480)

 Noise Level
 38-58 (65)


 Pressure (Pa)
 400

 Absorption
 290

ACCESSORIES

GFA Included Grease Filter Charcoal Filter Not available Long Life Filter Included Extractor Kit Optional Black Remote control Kit Optional White Remote control Kit Optional Extension cable Kit (2.5m IX) Optional Extension cable Kit (5m IX) Optional Warranty 1 Year




































































# **Cooking Appliances**



# mfc 3b 70 dx



built-in glass hob

Finish Black Glass
Dimensions (WxD) 700 x 525
Controls Front

 Ignition
 Auto Electric

 Grids
 Cast Iron Finish

 Burner
 MFC Brass Burners

 Burner
 1 Medium + 2 Dual Inlet Burner

Cutting Dimensions 645 x 475 x 70
Burner Warranty Life Time Warranty

Burner Warranty Life Tim Product Warranty 1 Year

#### Also available in 75cm (MFC 3B 75 DX)

Dimension 750 x 525 (WxD) mm Granite cut 705 x 475 x 70 (Wx D x H) mm

built-iii glass iiob

## mfc 4b 70 dx



built-in glass hob

Finish Black Glass
Dimensions (WxD) 700 x 525
Controls Front

 Ignition
 Auto Electric

 Grids
 Cast Iron Finish

 Burner
 MFC Brass Burners

Burner 2 Medium + 2 Dual Inlet Burner

Cutting Dimensions 645 x 475 x 70
Burner Warranty Life Time Warranty

Product Warranty 1 Year

# mfc 4b 75 dx r



built-in glass hob

Finish Black Glass
Dimensions (WxD) 750 x 525 / 900 x 525

 Ignition
 Auto Electric

 Grids
 Cast Iron Finish

 Burner
 MFC Brass Burners

Burner 2 Medium + 2 Dual Inlet Burner

Cutting Dimensions 705 x 475 x 70 Burner Warranty Life Time Warranty

Product Warranty 1 Year

Also available in 90cm (MFC 4B 90 DX)

Dimension 900 x 525 (WxD) mm

Granite cut 795 x 485 x 70 (Wx D x H) mm

# mfc 5b 90 dx



built-in glass hob

Auto Electric Ignition Grids Cast Iron Finish Burner MFC Brass Burners Burner 3Medium + 2 Dual Inlet Burner

Cutting Dimensions 795 x 485 x 70 Burner Warranty Life Time Warranty

Product Warranty 1 Year

## mfc 3b 65 dx ld



built-in glass hob

Ignition Auto Electric Enameled Burner MFC Brass Burners 1Medium + 2 Dual Inlet Burner Burner

Cutting Dimensions 600 x 480 x 70 Burner Warranty Life Time Warranty

Product Warranty 1 Year

### mfc 4b 70 dx ld



Auto Electric Ignition Burner MFC Brass Burners Burner

2Medium + 2 Dual Inlet Burner Cutting Dimensions 645 x 475 x 70

Burner Warranty Life Time Warranty Product Warranty 1 Year

built-in glass hob

# vetro 3b 68 sp



built-in glass hob

Finish Black Glass
Dimensions (WxD) 680 x 520
Controls Front

Ignition Auto Electric
Grids Enameled
Burner Italian
Burner 2 Semi Rapid

Burner 2 Semi Rapid + 1 Mini Triple Burner Cutting Dimensions 575 x 480 x 50
Burner Warranty Life Time Warranty

Product Warranty 1 Year

Also available in 75cm (Vetro 3B 75 SP)
Also available in DX (2 Triple Ring Burners)

Optional Feature (Chargeable) FFD (Flame Failure Device)

#### vetro 4b 65 sp



built-in glass hob

Finish Black Glass
Dimensions (WxD) 650 x 520
Controls Side

Ignition Auto Electric
Grids Enameled
Burner Italian


Burner 3 Semi Rapid + 1 Mini Triple Burner

Cutting Dimensions 610 x 480 x 50
Burner Warranty Life Time Warranty

Product Warranty 1 Year

Optional Feature (Chargeable) FFD (Flame Failure Device)

## vetro 4b 68 dx sp



Finish Black Glass
Dimensions (WxD) 680 x 520
Controls Front

Ignition Auto Electric
Grids Cast Iron Finish
Burner Italian

Burner 2 Semi Rapid + 2 Mini Triple Burner

Cutting Dimensions 575 x 480 x 50
Burner Warranty Life Time Warranty

Product Warranty 1 Year

Also available with 1 Mini Triple Burner

Optional Feature (Chargeable) FFD (Flame Failure Device)

built-in glass hob

vetro 4b 69 dx sp

Auto Electric Ignition Grids Cast Iron Finish Burner Italian

Burner 2 Semi Rapid + 2 Mini Triple Burner

Cutting Dimensions 575 x 480 x 50 Burner Warranty Life Time Warranty


Product Warranty 1 Year

Also available with 1 Mini Triple Burner

Optional Feature (Chargeable) FFD (Flame Failure Device)

built-in glass hob

## vetro 5b 90 sp



Auto Electric Ignition Cast Iron Finish Burner Italian

Burner 3 Semi Rapid + 2 Mini Triple Burner

Cutting Dimensions 795 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty

Optional Feature (Chargeable) FFD (Flame Failure Device)

built-in glass hob

# vetro 4b 75 dx sp r



Auto Electric Ignition Burner Italian

Burner 2 Semi Rapid + 2 Mini Triple Burner

Cutting Dimensions 710 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

#### Also available in 90cm (w) (Vetro 4B 90 SP)

Dimensions (WxD) 900 x 525 Cutting Dimensions 795 x 480 x 50

built-in glass hob

#### curve 3b 60 dx ld



built-in stainless steel hob

Finish Stainless Steel Linen Decor Finis

Dimensions (WxD) 600 x 50
Controls Front

Ignition Auto Electric
Grids Enameled
Burner Italian

Burner 1 Semi Rapid + 2 Mini Triple Burner

Cutting Dimensions 575 x 475 x 50
Burner Warranty Life Time Warranty

Product Warranty 1 Yea

#### curve 3b 75 ld



built-in stainless steel hob

Finish Stainless Steel Linen Decor Finis

iontrols Front

Ignition Auto Electric
Grids Cast Iron Finish
Burner Italian

Burner 1 Semi Rapid + 1 Mini Triple Burner

+1 Big Triple Burner

Cutting Dimensions 710 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

es 4b 60 s/sbt



Also available with 1 Big Triple Burner - ES 4B 60 SBT

imensions (WxD) 595 x 500

ontrols Side

Ignition Auto Electric Grids Enameled Burner Italian

Burner 1 Auxiliary+ 2 Semi Rapid + 1 Mini Triple

Cutting Dimensions 555 x 465 x 50
Burner Warranty Life Time Warranty

Product Warranty 1 Year

built-in stainless steel hob



Ignition Auto Electric Grids Cast Iron Finish Burner Italian

Burner 1 Semi Rapid, 1 Rapid, 1 Mini Triple & 1 Big Triple Ring Burner

Cutting Dimensions 710 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

built-in stainless steel hob

curve 4b 60 ld



Ignition Auto Electric Enameled Burner Italian

Burner 1 Auxiliary + 2 Semi Rapid + 1 Mini Triple Burner

Cutting Dimensions 575 x 475 x 50

Burner Warranty Life Time Warranty

Product Warranty 1 Year

built-in stainless steel hob

curve 4b 65 s/ld



Auto Electric Ignition Grids Cast Iron Finish Burner Italian

Burner 1 Auxiliary + 2 Semi Rapid + 1 Mini Triple Burner

Cutting Dimensions 595 x 475 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

built-in stainless steel hob

#### curve 4b 75 dx ld



built-in stainless steel hob

Ignition Auto Electric Grids Cast Iron Finish Burner Italian

Burner 1Rapid + 1Big Triple Ring + 1 Semi Rapid + 1 Mini Triple Burner

Cutting Dimensions 710 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

#### curve 5b 90 ld



built-in stainless steel hob

Ignition Auto Electric Cast Iron Finish Burner Italian

Burner 1 Auxiliary + 2 Semi Rapid + 1 Mini triple + 1 Big Triple Burner

Cutting Dimensions 875 x 475 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

ef 1b 30 s




Battery Operated Ignition Grids Enameled

Burner Italian 1 Big Triple Ring Burner Cutting Dimensions 280 x 480 x 50 Burner Warranty Life Time Warranty

Product Warranty 1 Year

built-in stainless steel hob











# f 3402 ngrb-bk

Capacity 52 Litre

Burners (2 Medium, 1 Large & 1 Small)

Yes


Dimension 498 x 556 x 808 (W x D x H) mm

Product Warranty 1 Year



















Product Dimensions 894 x 565 x 470 Carcass Dimensions 865 x 550 x 460 Controls Mechanical Controls with Digital Display Convection fan Yes Cooling Fan Yes Roteserie Grill

Yes

Yes

1 Year

Timer

Product Wararnty

built-in oven



epbi m	W-30l Product Family	30 Litre Electric Built in Microwave
10000	Finish	Stainless Steel and Glass
	Product Dimensions	595 x 405 x 405
	Carcass Dimensions	560 x 455 x 370
	Control	Capacitive Touch
	Convection fan	Yes
-0 O#	Oven Lamp	Yes
-0 0-	Grill	Yes
=00D=	Timer	Yes
	Multi Function	Yes
	Child Lock	Yes
	Auto Cook Menu	Yes
	Product Wararnty	1 Year



### wqp-12-7309a

Carcass Dimensions 600 x 570 x 820

Finish Silver

Capacity 14 Place Settings

Wash Cycle Economy, Normal Yes Glass. Intensive Yes Rapid, 1 Hour Cycle Yes Hot Water Connection Max 60°C Delay Timer 3/6/9 Hours

Half Load Option Yes

Controls Electronic Control

Product Warranty 1 Year



wqp-12-9348a

Carcass Dimensions 600 x 580 x 820 Finish Stainless Steel 12 Place Settings

Wash Cycle 7 Economy, Normal Yes Glass, Strong Yes Rapid, 3 in 1, Rinse Yes Hot Water Connection Max 60°C Delay Timer 1-24 Hours Controls Electronic Control with LED Display

Product Warranty 1 Year

free standing dishwasher

wqp-12-9257

Black

Capacity 12 Place Settings

7 Wash Cycle Economy, Normal Yes Glass, Strong Yes Rinse, 3 in 1, Soak Yes Hot Water Connection Max 60°C Controls Electronic Control

with Digital Display

**Product Warranty** 

1 Year








#### Synairgy

Synairgy is the airflow system for the most efficient hoods in the world, respecting the environment by reducing electrical energy consumption by 50%. Combining in perfect synergy a silent, vibrationless, frictionless electrical machine with an intelligent electronic control which puts motor power at the service of the user,

electronic control which puts motor power at the service of the user, the Synairgy system is unique of its type in that it is also self-regulating. It guarantees reduced energy consumption together with an optimal level of airflow and low noise in every type of installation, adapting automatically to any difficulty presented by air passage inside the kitchen and house.

Synairgy è il sistema aspirante per cappe più efficiente al mondo, che rispetta l'ambiente riducendo del 50% il consumo di energia elettrica. Il sistema unisce in perfetta sinergia una macchina elettrica silenziosa, priva di attriti e vibrazioni, a un controllo elettronico intelligente che mette le potenzialità del motore al servizio dell'utente. Il sistema Synairgy, unico nel suo genere, è infatti in grado di autoregolarsi.

Garantisce ridotti consumi energetici, aspirazione e silenziosità ottimali in ogni condizione di installazione, perché si adatta automaticamente alle difficoltà di percorso delle condotte d'aria all'interno della cucina e dell'abitazione.



#### Chef Control

With Chef control, the hood no longer responds to controls, but to necessity. Whether you want to prepare a delicate steamed dish or a rich platter of mixed fried fish, all you have to do is select the cooking type on the display and Chef control translates necessity into action, automatically setting the most appropriate airflow power. In addition, special functions Silent and Booster are available to immediately satisfy the most common requirements: maximum silence for non-invasive operating or maximum power to deal with high-intensity fumes or vapour. Chef control revolutionises the dialoque between cook & cooker hood.

Con Chef Control la cappa non risponde più ai comandi perché si adatta ai bisogni. Una delicata cottura al vapore o una frittura mista? È sufficiente scegliere la cottura sul display e Chef Control traduce le necessità in comandi, impostando automaticamente l'aspirazione ottimale. In più, le funzioni speciali Silent e Booster soddisfano immediatamente le richieste più comuni: massima silenziosità per un funzionamento non invasivo o massima potenza per aspirare fumi o vapori di particolare intensità. Chef Control rivoluziona il dialogo tra il cuoco e la cappa.





#### Led Light

These hoods are equipped with a lighting system based on LED (Light Emitting Diode) technology, guaranteeing high quality cooktop illumination that makes the cooking process as easy as possible. In addition, they last ten times longer than traditional bulbs and provide an electrical energy saving of 90%.

Queste cappe sono dotate di sistemi di illuminazione basati sulla tecnologia LED (Light Emitting Diode). I LED garantiscono una illuminazione ottimale del piano cottura per agevolare la preparazione dei cibi. Inoltre, hanno una durata fino a 10 volte maggiore delle lampade tradizionali e consentono di risparmiare il 90% di energia elettrica.





#### High Performance

Models with extremely high airflow performance levels specifically aimed at large kitchen environments or for culinary habits that require a great deal of boiling, grilling and frying.

Modelli dalle performance di aspirazione molto elevate, particolarmente indicati per grandi ambienti cucina o per abitudini culinarie che richiedono intense bolliture, fritture, grigliature.





#### Perimeter aspiration

Perimeter airflow is an alternative form of air-treatment technology where the airflow occurs around the outer edge of the cooker hood, reducing energy consumption and noise. In place of the original visible filter, these products feature a steel or glass panel, enhancing the look and simplifying the cleaning and maintenance of the product.

L'aspirazione perimetrale è una tecnologia di aspirazione alternativa, dove il flusso dell'aria viene fatto confluire sul perimetro esterno della cappa, riducendo consumo energetico e rumore. cappa, riducendo consumo energetico e rumore. Al posto del tradizionale filtro a vista, su questi prodotti è presente un pannello in acciaio o vetro che migliora l'estetica e semplifica le operazioni di pulizia e manutenzione.






#### Back aspiration

These hoods have air outlets at the top and on the back. The air outlet can be configured according to need during installation by simply rotating the internal motor unit 90 degrees. The classic top outlet is recommended for both the filter function and for extraction through an exposed exhaust duct. The new rear outlet instead allows the extraction function to be used without an exposed duct. In this case, the hood must be connected to an extraction duct built into the wall on which the hood is installed.

Queste cappe hanno l'uscita dell'aria sia nella parte superiore che nella parte posteriore. In fase di installazione è possibile configurare l'uscita dell'aria a seconda delle esigenze, con una semplice rotazione di 90° del gruppo motore interno. La classica uscita superiore è indicata sia per il funzionamento in filtrante che per il funzionamento in aspirante con camino a vista. L'innovativa uscita posteriore permette invece il funzionamento in aspirante senza la necessità di un camino a vista. In questo caso la cappa dovrà essere collegata a un condotto di evacuazione dei fumi predisposto all'interno del muro su cui la cappa stessa verrà installata.





#### Elica Deep Silence

The hoods equipped with the Elica Deep Silence (EDS3) system are the quietest in the world. The technology employed allows the hood to function with the lowest level of noise possible – in fact, at low speeds, there is no perceptible noise at all. This reduction in domestic noise pollution of more than 35% with respect to traditional cooker hoods is rather like comparing a bustling office environment where everyone is talking at once with one or two people chatting quietly in a library. While noise level is reduced, airflow performance remains unaffected: in fact, the hoods that come with EDS3 are amongst the most powerful and efficient available on the market. EDS3 is an exclusive Elica patent.

Le cappe equipaggiate con il sistema Elica Deep Silence (EDS3) sono le più silenziose al mondo. La tecnologia impiegata permette una funzionalità estremamente silenziosa, addirittura impercettibile alle basse velocità, con una riduzione di inquinamento acustico ambientale di oltre il 35% rispetto alle cappe tradizionali. La riduzione del sonoro non pregiudica le prestazioni di aspirazione: le cappe dotate del sistema sono anche tra le più potenti ed efficienti disponibili sul mercato. EDS3 è un brevetto esclusivo Elica.






#### External motor

These hoods can be equipped with an external motor system, where the motor is installed outside the kitchen environment or even outside the house itself. Compared to the same model with an internal motor, the external motor improves airflow performance by 35% and reduces perceived noise level by 20%.

Queste cappe possono essere dotate di un sistema motore remoto, installabile all'esterno dell'ambiente cucina o anche all'esterno dell'abitazione. Rispetto allo stesso modello con motore interno, il motore esterno migliora del 35% le performance di aspirazione e riduce del 20% il livello sonoro percepito.





#### Exclusive material

These products display Elica's ongoing research into beauty and functionality through the choice of cutting edge forms and materials. Each hood is unique in its own way: technopolymer surfaces, sophisticated polished steel, metallic mesh and visible microperforated steel filters. Materials that surprise and delight every one of our senses, combined with impeccable performance and functionality.

La continua ricerca Elica su funzionalità e bellezza si esprime, in questi prodotti, nella scelta di forme e materiali d'avanguardia. Ogni cappa è unica nel suo genere. Anche i meccanismi di funzionamento si vestono di qualità estetica, come i filtri a vista in acciaio microforato. Design e materiali sorprendenti per tutti i sensi, uniti a performance e funzionalità impeccabili.







#### Evolution

Products developed around the Evolution system, which has revolutionised the world of kitchen ventilation. Airflow system, grease and odour filters and lighting (for the cooktop, and, in some versions, for the surrounding area in the kitchen) are all packed into a compact steel cylinder. Evolution hoods are light and elegant design objects that integrate smoothly with the most sophisticated environment. Evolution is an exclusive Elica patent.

Prodotti sviluppati attorno al sistema Evolution, che ha rivoluzionato il mondo della ventilazione in cucina. Un compatto cilindro in acciaio inox contiene le funzioni di aspirazione, filtraggio grassi e odori, illuminazione del piano cottura nonché, in alcune versioni, dell'ambiente cucina. Le cappe Evolution sono oggetti di design leggeri ed eleganti, che si integrano con naturalezza negli ambienti più raffinati. Evolution è un brevetto esclusivo Elica.





#### Ambient light

We need light to see, to play, to cook, to live. All Elica hoods provide high quality lighting for the cooktop. In addition, hoods equipped with Ambient Light also spread light into the surrounding area. An extra light source to illuminate and animate your kitchen.

L'illuminazione è la condizione per vedere, giocare, cucinare, vivere. Se tutte le cappe Elica illuminano efficacemente il piano di lavoro, quelle dotate di Ambient Light diffondono luce anche nell'ambiente circostante. Una vantaggiosa opzione per disporre di un punto luce in più che illumina e arreda la cucina.





#### Head Saver


The Head Saver hoods are the result of ergonomic and usability research into the product. Their smaller size facilitates movement around the cooktop and means the cook can work without having to worry about sudden bumps.

Le cappe Head Saver sono il frutto di studi di ergonomia e usabilità del prodotto. La loro ridotta dimensione favorisce una maggiore libertà di movimento nella preparazione dei cibi e permette di vivere la cucina senza timore di urti involontari.




#### **Built-in Hobs, Fryer, Barbeque Dimensions**







Vetro/Matrix 3B 68 SP | Vetro/Matrix 4B 68 DX SP Vetro/Matrix 4B 69 DX SP




Vetro/Matrix 3B 75 SP | Vetro/Matrix 4B 75 DX SP R




Vetro/Matrix 4B 90 SP | Vetro/Matrix 5B 90 SP




Curve 3B 60 DX LD | Curve 4B 60 DX LD




Curve 3B 75 LD | Curve 4B 75 DX LD Curve 4B 75 S LD




Curve 5B 90 LD




ES 4B 60 S




Curve 4B 65 S




MFC 3B 70 | MFC 3B 70 DX | MFC 4B 70 DX




MFC 3B 75 DX | MFC 4B 75 DX R




MFC 4B 90 DX R | MFC 5B 90 DX




MFC 3B 65 DX LD




EF 1B 30 S | EF 2B 30 S




PVT 3C2HX




PWS 7C8HX



PWT 6C4HO



FRYER



BARBEQUE

#### **Built-in Oven & Microwave Dimensions**




EPBI 605




EDBI 608




EPB 11 FTC



EPBI 90




EPBI MW 34 L




EPBI MW 30L

#### **Built-in Dishwasher Dimensions**



WQP12-9348A



WQP12-7309A

